

700-960MHz 1dBi/1700-2700MHz 4dBi OMNI ANTENNA FOR N JACK + L TYPE MOUNT

700-960MHz 1dBi/1700-2700MHz 4dBi OMNI ANTENNA VOOR N-Female + L TYPE MOUNT




Specifications/Special Features :

This antenna is designed for  
LTE/3G/GSM/UMTS/WiFi wireless communications



Specification	
Model No.	MFC-OA-0727-05-2-LM-S304
Frequency range	700-960MHz/1700-2700MHz
Antenna Type	OMNI
Gain(dBi)	700-960MHz 1dBi/1700-2700MHz 4dBi
VSWR	$\leq 3.7$
Impedance	50 $\Omega$
Polarization	Linear Vertical
Power handling	50W
Antenna Mount	L TYPE
Connector	N FEMALE
Operating Temperature	-40 ~ +65°C
Humidity	100% @ 25°C
Lightning Protection	Direct Ground
Radome color	white
Radome material	Fiberglass
Dimensions	L300xW19xH19mm

DA-0727-05


700-960MHz 1dBi/1700-2700MHz 4dBi DMNI ANTENNA FOR N FEMALE+L TYPE MOUNT



1	FREQUENCY RANGE : 700-960MHz/1700-2700MHz	8	Antenna Connector : N FEMALE
2	GAIN : 700-960MHz 1dBi/1700-2700MHz 4dBi	9	
3	VSWR : <=3.7 : 1	10	
4	IMPEDANCE : 50 Ω	11	
5	POLARIZATION : Vertical	12	
6	Dimensions : L300xW19xH19 mm	13	
7	Antenna Type : DMNI		



H-PLANE



E-PLANE

